



WWS

PORTABLE PLATFORMS
FOR VEHICLE WEIGHING



**The best solution
is in your hand!**



WWS

THE STATE OF THE ART VEHICLE WEIGHING SOLUTION EASY TO USE, QUICK, APPROVED.

Dini Argeo, an Italian company specializing in the design and manufacture of scales and weighing systems, is pleased to introduce the WWS platforms, an innovative and technological product, designed and manufactured completely in Italy for the weighing of vehicles and large objects.

The WWS platforms can be used in all the applications in which it is necessary to quickly and simply weigh vehicles or structures with multiple mounting points, such as automobiles, tractors, carts, airplanes, trucks, tankers, containers, bins, bottles, buckets, etc.

They are particularly suitable for creating mobile weighing stations: thanks to their reduced weight and the ease in moving and placing them, in a few minutes it's possible to create a weighing station on any type of firm flat surface.





MODULAR SYSTEM
FROM 2 TO 20 PLATFORMS.




A COMPLETE RANGE
TO MEET YOUR NEEDS

WWS

- **Loading surface** from 400x300 mm to 900x700 mm.
- **Capacity** from 600 to 25.000 kg.
- **Connectable** to the main weight indicator via cable or wireless.
- **Versions** for internal use only or Trade Approved, wheel weighing or axle weighing (OIML R134).

GREAT VERSATILITY OF USE

- **Checking the weight** of the materials transported by vehicles creating easy Delivery/Dispatch product records.
- **Verify the weight** of each single wheel, of each single axle, and then the total weight sums.
- **Calculate the centre of gravity coordinates** of the weighted structure.
- **Weigh** for limited periods of time (harvests, crops, etc.), without the need for permanent foundations.
- Check for possible **vehicle overloading**, avoiding any unpleasant sanctions.
- **The wireless platform**, with its integrated indicator, can be used individually making it very useful for use in many Industry sectors.




WWS installed flush floor to the road surface, for dynamic weighing.



QUALITY AND TECHNOLOGY
AT YOUR SERVICE

WWS



WWSE RF
WIRELESS VERSION.

THE RANGE



WWSB

400x300mm
from 600 to 8000kg



WWSC

500x400mm
from 1500 to 15000kg



WWSE / WWSE-RF

700x450mm
from 6000 to 15000kg



WWSD / WWSD-RF

900x500mm
from 6000 to 20000kg



WWSF


900x700mm
from 10000 to 25000kg



WWS

TECHNICAL FEATURES

WIRELESS VERSION




- Reduced high, only 50mm.
- Structure made in a special alloy, extremely sturdy and strong.
- IP68 stainless steel **load cells**.
- IP68 protection degree.
- **Built-in weight indicator** into the platform and protected thanks to an IP68 hermetic box.
- **Built-in radio module** for weight transmission to a remote indicator or external device.
- Integrated wheels to facilitate the transport.
- **Internal rechargeable battery** with a long life.
- Nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Patented technology: patent number 1.342.302.

AVAILABLE ALSO IN:

- CE-M approved version.

VERSION WITH CABLE



- Reduced high, only 50mm.
- Extremely sturdy structure, made in a special alloy of high resistance.
- IP68 protection degree of the load cells and the connectors, for using in presence of water, mud, or dust.
- **Cable storage**, standard fitted in all the models.
- **10 m extension cable** for the connection to the indicator.
- Integrated wheels to facilitate the transport.
- Nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Patented technology: patent number 1.342.302.

AVAILABLE ALSO IN:

- CE-M approved version.
- R134 approved for the dynamic weighing.



1.342.302



R-76/EN 45501



SPECIAL ALLOY



R134 DYNAMIC
WEIGHING



IP 68




WIRELESS



NONSLIP RUBBER

for good grip on all types of surfaces.




INTEGRATED LEVEL

for the correct positioning of the platform.



INTEGRATED WEIGHT INDICATOR

with IP68 protection (Wireless version).



ERGONOMIC TRANSPORT HANDLE

MOBILE, MULTIFUNCTION, WEIGHING
STATION FOR WWS PLATFORMS,
3590E WEIGHT INDICATOR

3590E




Designed for vehicle weighing.

3590E is an easy to use weight indicator, fitted with all the main functions required for weighing your vehicles.




RED LED DISPLAY
for a clear display of the total weight.



LCD BACKLIT DISPLAY
able to show the weight of each platform and the centre of gravity.



COMPLETELY CUSTOMIZABLE TICKET.





WWS

THE FUNCTIONS

- Weighing of the entire vehicle in a single operation (**wheel weighing mode**), which requires a number of platforms WWS equal to the wheels of the vehicle to be weighed.
- Weighing of the vehicle by summing the weight of each axle (**axle weighing mode**), which requires only two WWS platforms and the sum axle by axle.
- The acquisition of the weight of each axle can be done manually by pressing a button when the axle is stopped and correctly positioned on the platforms or automatically during the transit of vehicle on the platforms.
- Management of the in/out weighing for the calculation and the recording of the weight of the materials, transported by the vehicles entering or leaving by the company/construction site.
- Automatic calculation of x and y coordinates of the centre of gravity (wheel weighing mode).
- 3 total levels, zeroable and printable in an independent way:
 - total weight of the current vehicle
 - total weight of all weighed vehicles
 - grand total.
- Management of the vehicle tare.
- Database which can be compiled manually by the operator (registration, license plate, transported material, customer, vendor, etc.).
- Database of 1000 records, with configurable password, each composed of 5 alphanumeric descriptions, for vehicle, client, and material management.
- Alibi memory for legal for trade use of the system.

TICKETS

COMPLETELY CUSTOMIZABLE

A **JOHN SMITH LTD**
5TH AVENUE - LONDON
www.john-smith.ltd.uk
0044 - 712648446

B **JOHN SMITH**
5TH AVENUE LONDON

Customer:	Material:	Operator:	IN WEIGHT PT	OUT WEIGHT PT	UNLOADED
BROWN LTD	RED CLAY	ALEX			
PLATE: AA000BC					

WHEEL 1	WHEEL 2	AXLE 1	WHEEL 3	WHEEL 4	AXLE 2	WHEEL 5	WHEEL 6	AXLE 3	WHEEL 7	WHEEL 8	AXLE 4	WHEEL 9	WHEEL 10	AXLE 5
5000kg	5000kg	10000kg	5000kg	10000kg	5000kg	5000kg	10000kg	5000kg	5000kg	10000kg	5000kg	5000kg	10000kg	

TOTAL	TARE	NET
50000kg	3500kg	46500kg

***** HAVE A NICE

22/12/2012 17:00

EXAMPLE OF:

- A** In/Out Weighing
- B** Wheel and Axle Weighing

USB KEY FOR RECORDING THE WEIGHS ON PC



The recording of all the weightings is important and also to have the complete traceability of the transactions.

All data is available in Excel format, **over then 5.000.000 of recorded weighs.**

A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	Veicolo	Targa	Cliente	Operatore	Data	Ora	Materiale	Asse 1(kg)	Asse 2(kg)	Asse 3(kg)	Asse 4(kg)	Asse 5(kg)	Totale(kg)
2													
3	MECO	AB123CD	ROSSI srl	Marco	22/11/2012	16:40	Anglia	12000	16000	14500	16400	15100	74000
4	RENAULT	AA471DH	Verdi spa	Andrea	23/11/2012	08:45	Cabrio	13000	18000	24000	21500	22000	100500
5													


APPLICATION EXAMPLES THE SOLUTIONS



WWS






WIRELESS WEIGHING	
WEIGHING OF THE ENTIRE VEHICLE up to 20 Platforms	
AXLE WEIGHING through 2 Platforms	




2-AXLE VEHICLE WEIGHING



More economical: static axle weighing 	2 PLATFORMS <ul style="list-style-type: none"> • Excellent weighing accuracy on the vehicle total. • Easy to install. • Great money saving. • Axle by axle weighing.
More precise: static wheel weighing  <div style="display: flex; justify-content: space-around; margin-top: 5px;"> 2-Axle 1-Axle </div>	4 PLATFORMS <ul style="list-style-type: none"> • Elevated accuracy weighing on the vehicle total. • Only 1 weighing operation to obtain all of the weight data: single wheel, single axle, total weight, load center calculation and overload check. • Weighing with static vehicle.

3, 4, 5... "N"-AXLE VEHICLE WEIGHING

More economical: static axle weighing 	2 PLATFORMS <ul style="list-style-type: none"> • Excellent weighing accuracy on the vehicle total. • Easy to install. • Great money saving. • Axle by axle weighing.
Faster: dynamic axle weighing 	2 PLATFORMS AND "N" LEVELLING MODULES <ul style="list-style-type: none"> • Excellent weighing accuracy on the vehicle total. • Easy to install and move. • Great saving in time in the weighing operations. • Weighing during the transit of the vehicle.
More precise: static wheel weighing  <div style="display: flex; justify-content: space-around; margin-top: 5px;"> n-Axle 2-Axle 1-Axle </div>	"N" PLATFORMS <ul style="list-style-type: none"> • Elevated accuracy weighing on the vehicle total. • Only 1 weighing operation to obtain all of the weight data: single wheel, single axle, total weight, load center calculation and overload check.





“YOUR WORLDWIDE PARTNER FOR WEIGHING”

Miary i Wagi Sp. z o.o.
ul. Wierzbowa 23
49-318 Skarbimierz-Osiedle
pow. Brzeg
woj. opolskie
NIP: 747-183-15-43
REGON: 160173995

Sekretariat
tel. (+48) 77 411 39 28
tel. (+48) 77 544 96 91
fax (+48) 77 544 93 77
email: biuro@miary-wagi.com.pl



ISO 9001:2008



miary i wagi

**wagi
samochodowe**

77 411 39 28 
www.miary-wagi.com.pl 